FINAL REPORT JULY 1997

REPORT NO. 94-28-1

ENVIRONMENTAL MONITORING OF STORED AMMUNITION IN SOUTH KOREA (1995-1997)

DEED OFFICE THE COURSE C

19971112 039

Prepared for:

Redstone Technical Test Center ATTN: STERT-TE-M-CL

Redstone Arsenal, AL 35898

Distribution Unlimited



VALIDATION ENGINEERING DIVISION SAVANNA, ILLINOIS 61074-9639

AVAILABILITY NOTICE

A copy of this report will be furnished each attendee on automatic distribution. Additional copies or authority for reprinting may be obtained by written request from Director, U.S. Army Defense Ammunition Center, ATTN: SIOAC-DEV, Savanna, IL 61074-9639.

DISTRIBUTION INSTRUCTIONS

Destroy this report when no longer needed. Do not return.

Citation of trade names in this report does not constitute an official endorsement.

The information contained herein will not be used for advertising purposes.

UNCLASSIFIED SECURITY CLASSIFICATION OF THIS PAGE

	1	REPORT DO	CUMENTATIO	N PAGE				n Approved IB No. 0704-0188	
1a. REPORT SEC	CURITY CLASSIFICA	ATION	What	1b. RESTRICTIVE MARKINGS					
UNCLA	SSIFIED								
2a. SECURITY C	LASSIFICATION AU	THORITY		3. DISTRIBUTION / AVAILABILITY OF REPORT					
2b. DECLASSIFIC	CATION / DOWNGR	ADING SCHEDULE		UNLIMITED					
	ORGANIZATION RI	EPORT NUMBER(S)	5. MONITORING	ORGANIZATION RI	EPORT NU	MBER(S)		
94-28-1									
U.S. Arn	rforming organ ny Defense	IIZATION	6b. OFFICE SYMBOL (if applicable)	7a. NAME OF MO	ONITORING ORGAN	IZATION			
Ammuni	tion Center		SIOAC-DEV	7. 1000000			·		
ATTN:	ty, State, and ZIP Co SIOAC-DEV			76. ADDRESS (C	City, State, and ZIP C	ode)			
Savanna. 8a. NAME OF FUI ORGANIZATI	IL 61074-96 nding/sponsori on	39 NG	8b. OFFICE SYMBOL (if applicable)	9. PROCUREME	NT INSTRUMENT IC	ENTIFICAT	FION NUM	MBER	
Redstone	Technical Te	st Center	STERT-TE-M-C	L					
8c. ADDRESS (Ci	ty, State, and ZIP Co	de)		10. SOURCE OF	FUNDING NUMBER	RS			
	STERT-TE-M			PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO).	WORK UNIT ACCESSION NO.	
	Arsenal, AL Security Classificati								
	nental Monitor	•	Ammunition in S	outh Korea (1	1995-1997)	···			
Bradley 1		13b. TIME COVER	ED	14. DATE OF RE	PORT (Year, Month,	Day)	15 PAGE	E COUNT	
Final		FROM	то	1997					
16. SUPPLEMENT	ARY NOTATION			1997	July	I			
17.	COSATI CODES		18. SUBJECT TERMS	Continue on revers	e if necessary and id	entify by blo	ck numb	er)	
FIELD	GROUP	SUB-GROUP			•				
19. ABSTRACT (C	ontinue on reverse it	necessary and iden	tify by block number)						
The U. S. tasked by ammuniti	Army Defens Redstone Tec on in South K	e Ammunition hnical Test Co orea. Ammun	n Center (DAC), Venter (RTTC) to notition monitoring vobtained by the m	nonitor environs was conducte	onmental condi	itions of	stored	1	
20. DISTRIBUTION	I / AVAILABILITY OF	ABSTRACT		21. ABSTRACT S	ECURITY CLASSIFI	CATION			
XXunclassif		SAME AS RPT.	DTIC USERS	UNCLA	SSIFIED				
22a. NAME OF RE	SPONSIBLE INDIVI	DUAL	-		(Include Area Code) :	22c. OFF	ICE SYMBOL	
JEROME	H. KROHN		815-273-8929 SIO				AC-DEV		

U.S. ARMY DEFENSE AMMUNITION CENTER VALIDATION ENGINEERING DIVISION SAVANNA, IL 61074-9639

REPORT NO. 94-28-1

ENVIRONMENTAL MONITORING OF STORED AMMUNITION IN SOUTH KOREA (1995-1997)

TABLE OF CONTENTS

PART	PAGE NO
1. INTRODUCTION	1-1
A. BACKGROUND	- 1-1
B. AUTHORITY	1-1
C. OBJECTIVE	1-1
D. CONCLUSION	1-1
2. ATTENDEES	2-1
3. TEST SETUP	3-1
4. TEST RESULTS	4-1
5. PHOTOGRAPHS	5-1
6. GRAPHS	6-1
7. APPENDIX	7-1

INTRODUCTION

- A. BACKGROUND. The U.S. Army Defense Ammunition Center (DAC), Validation Engineering Division (SIOAC-DEV), was tasked by Redstone Technical Test Center (RTTC) to monitor environmental conditions of stored ammunition in South Korea. This report contains test results of data obtained from August 1995 May 1997.
- B. AUTHORITY. This test was conducted IAW mission responsibilities delegated by the U.S. Army Armament Munitions and Chemical Command (AMCCOM), Rock Island, IL.
- C. <u>OBJECTIVE</u>. The objective of the instrumentation was to obtain temperature and humidity data for stored ammunition located in South Korea. The data will be used for the purpose of ensuring long-term reliability of ammunition in the field.
- D. <u>CONCLUSION</u>. As expected, igloos showed the least temperature fluctuation of the warehousing facilities instrumented. The maximum temperature recorded inside an igloo was 83 degrees Fahrenheit. Above-ground magazines followed the daily temperature pattern, occasionally exceeding the maximum daily ambient temperature. The maximum temperature recorded inside an above-ground magazine was 113 degrees Fahrenheit. One Quonset hut was instrumented during cold weather months only, and it regularly exceeded maximum daily ambient temperatures. It appeared to have the potential to provide the most hostile warehousing environment of the structure types instrumented. Humidity levels in both above-ground magazines and igloos showed less deviation than ambient humidity level with neither warehousing structure type having a clear advantage.

AUGUST 1995 - MAY 1997

ATTENDEES

Director Bradley J. Haas

U.S Army Defense Ammunition Center Mechanical Engineer

ATTN: SIOAC-DEV DSN 585-8336 3700 Army Depot Road (815) 273-8336

Savanna, IL 61074-9639

Quinn D. Hartman Director

U.S. Army Defense Ammunition Center General Engineer

ATTN: SIOAC-DEV DSN 585-8992 3700 Army Depot Road 815-273-8992

Savanna, IL 61074-9639

William R. Meyer Director

U.S. Army Defense Ammunition Center General Engineer

ATTN: SIOAC-DEV DSN 585-8090 815-273-8090 3700 Army Depot Road

Savanna, IL 61074-9639

David V. Valant Director

U.S. Army Defense Ammunition Center Electronics Technician

ATTN: SIOAC-DEV DSN 585-8988 815-273-8988 3700 Army Depot Road

Savanna, IL 61074-9639

19th TAACOM Andrew Rayment

Taegu, South Korea **QASAS**

72d Ordnance Company Thomas Enricco

Yongchon, South Korea **QASAS**

72d Ordnance Company Gary Hoy

Taegu, South Korea **QASAS**

Daniel Sturtevant 17th Ordnance Company **QASAS** Uijongbu, South Korea

TEST SETUP

Instrumentation of stored ammunition occurred at two sites within South Korea. Five locations were instrumented at the 17th Ordnance Company, located near Uijongbu from November 1995 - May 1996. Fourteen locations were monitored at Army Depot No. 2 (AD-2), located near Yongchon from February 1996 - May 1997. Ammunition stored in above-ground magazines, igloos, and Quonset huts was monitored. Table 1 (page 3-2) displays the contents of each magazine monitored. Temperature and humidity readings were obtained by ACR data loggers, which were placed with ammunition items. The data loggers recorded readings every 30 minutes. In some instances, external probes were fastened to the inner pack of ammunition items to obtain an item temperature. Approximately every 6 months, the installed data loggers were replaced and shipped back to the U. S. Army Defense Ammunition Center (DAC) for computer downloading and analysis.

TABLE 1

TEST SETUP

LOCATION	STORAGE TYPE	DODIC
17th Ordnance Company	Above-Ground Magazine	A974
17th Ordnance Company	Quonset Hut	N402
17th Ordnance Company	Igloo	D684
17th Ordnance Company	Above-Ground Magazine	N464
17th Ordnance Company	Above-Ground Magazine	D684
Army Depot No. 2	Above-Ground Magazine B-105	A165
Army Depot No. 2	Above-Ground Magazine B-133	B546
Army Depot No. 2	Above-Ground Magazine B-135	B630
Army Depot No. 2	Above-Ground Magazine B-163	N463
Army Depot No. 2	Above-Ground Magazine B-177	B632
Army Depot No. 2	Above-Ground Magazine B-182	C508
Army Depot No. 2	Above-Ground Magazine B-313	C445
Army Depot No. 2	Above-Ground Magazine B-215	N340
Army Depot No. 2	Above-Ground Magazine B-315	N340
Army Depot No. 2	Above-Ground Magazine B-335	B646
Army Depot No. 2	Above-Ground Magazine B-303	N285
Army Depot No. 2	Above-Ground Magazine B-437	D563
Army Depot No. 2	Above-Ground Magazine B-239	D541
Army Depot No. 2	Igloo B-184	C543
Army Depot No. 2	Igloo B-555	C380

Additionally, a weather station was set up at AD-2 to monitor ambient conditions. This weather station was equipped to monitor 13 channels, including ambient temperature and ambient humidity. The weather station was in operation from August 1995 - May 1997. At 6-month intervals, the storage module was replaced and returned to DAC for computer downloading and analysis.

TEST RESULTS

Monitoring of stored ammunition at the 17th Ordnance Company occurred from November 1995 - May 1996. Five storage locations were monitored. No weather station was located at this site. Data collected by a weatherstation located at AD-2, approximately 200 miles south-southeast of the 17th Ordnance Company, were used for an ambient baseline. Table 2 below contains monthly peak temperature values for each storage location. Table 3 (page 4-2) contains monthly humidity peaks for each storage location.

TABLE 2

PEAK TEMPERATURES 17TH ORDNANCE COMPANY

	Nov 95	Dec 95	Jan 96	Feb 96	Mar 96	Apr 96
Ambient	68.6	50.4	50.4	42.8	No Data	No Data
Above-Ground Mag (A974)	57.0	40.3	39.5	47.8	58.2	61.4
Quonset Hut (N402)	72.2	59.5	62.7	65.2	85.2	83.2
Igloo (D684)	50.5	42.4	33.7	32.2	35.9	38.8
Above-Ground Mag (N464)	58.2	45.8	43.1	51.1	58.9	62.7
Above-Ground Mag (D684)	52.4	42.4	42.4	No Data	No Data	No Data

All values in degrees Fahrenheit

PEAK HUMIDITY READINGS
17TH ORDNANCE COMPANY

TABLE 3

	Nov 95	Dec 95	Jan 96	Feb 96	Mar 96	Apr 96
Ambient	100	100	100	90	No Data	No Data
Above-Ground Mag (A974)	68	67	71	71	70	60
Quonset Hut (N402)	71	72	74	73	71	67
Igloo (D684)	62	78	60	69	67	64
Above-Ground Mag (N464)	64	65	65	64	63	60
Above-Ground Mag (D684)	72	67	71	No Data	No Data	No Data

All values in percent relative humidity

Due to the limited number of storage locations and the abbreviated time span for cold weather months for monitoring at the 17th Ordnance Company, limited conclusions can be made. The Quonset hut appears to create daily peak temperatures in excess of ambient temperature and considerably greater than above-ground magazines and igloos. For the months monitored, the above-ground magazines regularly showed daily peaks that were less than the daily ambient temperatures, but greater than igloo peak temperatures. The igloo provides a more stable temperature environment, with the maximum and minimum ammunition temperature within a month for the months monitored not varying more than 10 degrees. No type of storage facility appears to have a significant advantage in regard to humidity levels.

Environmental monitoring at AD-2 was performed from February 1996 - May 1997. Fourteen warehousing locations were monitored. DODIC N340 was moved from above-ground magazine B-315 to above-ground magazine B-215 on 14 January 1997. Table 4 (page 4-3) contains the monthly temperature peaks for each storage location.

TABLE 4

PEAK TEMPERATURES

AD-2

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May
	1996	1996	1996	1996	1996	1996	1996	1996	1996	1996	1996	1997	1997	1997	1	_
Ambient	43	N/A	N/A	87	91	97	100	85	N/A	59	59	55	65	69	84	88
Igloo B-555	40	46	76	73	68	80	83	74	70	59	42	42	43	48	60	63
External Probe	40	47	N/A	N/A	69	79	82	74	70	59	42	40	42	47	59	62
Igloo B-184	42	47	75	N/A	N/A	N/A	N/A	N/A	N/A	56	43	41	42	48	58	N/A
External Probe	67	69	66	N/A	N/A	N/A	N/A	N/A	N/A	53	41	40	40	46	56	N/A
Mag B-105	52	57	77	80	85	94	94	83	74	61	47	42	52	58	72	83
Mag B-133	61	63	85	91	96	105	105	91	83	67	52	47	60	68	82	98
Mag B-135	54	59	83	79	84	93	93	81	73	64	46	42	53	61	75	97
Mag B-163	46	53	71	77	83	91	91	79	73	61	44	41	50	54	72	96
Mag B-177	56	56	82	81	86	95	94	81	72	68	45	40	51	57	72	95
Mag B-182	49	55	77	79	84	93	93	81	75	62	N/A	N/A	N/A	N/A	N/A	N/A
Mag B-215	N/A	42	46	51	67	83										
Mag B-315	50	54	80	93	99	108	108	94	85	69	46	42	N/A	N/A	N/A	N/A
Mag B-313	54	56	83	77	84	83	93	81	75	65	N/A	N/A	N/A	N/A	N/A	N/A
Mag B-335	46	53	76	77	84	82	113	105	73	66	52	44	58	65	80	86
Mag B-239	42	49	76	74	76	84	84	72	67	56	39	35	44	49	63	101
Mag B-303	51	54	77	78	85	93	93	81	73	61	N/A	N/A	N/A	N/A	N/A	N/A
External Probe	42	49	89	89	75	84	84	72	67	57	39	35	43	48	62	98
Mag B-437	47	52	77	N/A	N/A	N/A	N/A	N/A	N/A	52	42	38	48	54	69	84
External Probe	44	50	89	N/A	N/A	N/A										

All value in degrees Fahrenheit

Peak igloo temperatures were generally lower than both ambient and above-ground magazine peak temperatures. Igloos appear to be particularly effective during the summer months. Above-ground magazines had peak temperatures nearer to ambient.

Table 5 (page 4-4) contains monthly percentages of the readings in excess of 70 degrees, 80 degrees, and 90 degrees, respectively.

TABLE 5

TEMPERATURE DISTRIBUTION

AD-2

DATES		AMBIEN'	Γ	ABOVE	-GROUN	D MAGS	IGLOOS			
DATES	70	80	90	70	80	90	70	80	90	
Feb 96	0	0	0	0	0	0	0	0	0	
Mar 96	N/A	N/A	N/A	0	0	0	0	0	0	
Apr 96	N/A	N/A	N/A	2.2	0.2	0	0	0	0	
May 96	23.2	4.6	0	15.2	1.3	0.1	0	0	0	
Jun 96	37.0	9.6	0.3	46.4	5.6	0.7	8.4	0	0	
Jul 96	62.8	30.8	8.9	69.8	37.2	6.0	53.0	5.4	0	
Aug 96	76.2	31.0	9.8	95.5	51.4	6.6	97.9	8.2	0	
Sep 96	31.9	7.3	0	49.6	4.9	0.3	34.8	0	0	
Oct 96	N/A	N/A	N/A	45.4	4.8	0.2	49.4	0.1	0	
Nov 96	0	0	0	1.0	0	0	0	0	0	
Dec 96	0	0	0	0	0	0	0	0	0	
Jan 97	0	0	0	0	0	0	0	0	0	
Feb 97	1.4	0	0	0	0	0	0	0	0	
Mar 97	5.2	0	0	1.0	0	0	0	0	0	
Apr 97	29.6	6.9	0.4	20.6	2.9	0.1	1.0	0	0	


All values in percent of readings

Above-ground magazines consistently show higher percentages of temperature readings in excess of 80 and 90 degrees than temperature readings in igloos. Above-ground magazines follow ambient temperatures more closely with larger daily differences in temperature extremes. Igloos show less deviation in temperature, as igloo temperatures never exceeded 90 degrees during the test period.

Monthly histograms of humidity distribution can be found in part 7 of this report. Humidity levels inside above-ground magazines were generally between 40 and 90 percent. The ambient humidity generally ranged from 20 to 100 percent. Humidity levels in igloos generally ranged from 50 to 80 percent prior to November 1996. Occurrences of 100 percent humidity existed in both above-ground magazines and igloos, but with far less frequency than occurred as ambient.

After November 1996, humidity levels in igloos generally ranged from 10 to 30 percent. The lower humidity readings coincide with a data logger swap out at each igloo. Above-ground magazine B-335 experienced similar drop in its humidity levels. The humidity sensors of the data loggers producing these lower temperatures may not have been operating properly.

PHOTOGRAPHS




U.S. ARMY DEFESE AMMUNITION CENTER

PHOTO NO. AO317-SCN-95-31-2676. This photo shows the weather station setup located at AD-2.



U.S. ARMY DEFESE AMMUNITION CENTER PHOTO NO. AO317-SCN-95-31-2693. This photo shows a typical igloo.



U.S. ARMY DEFESE AMMUNITION CENTER

PHOTO NO. AO317-SCN-95-31-2630. This photo shows a typical above-ground magazine located at AD-2.





PHOTO NO. AO317-SCN-95-31-2711. This photo shows a typical Quonset hut. U.S. ARMY DEFESE AMMUNITION CENTER



U.S. ARMY DEFESE AMMUNITION CENTER


PHOTO NO. AO317-SCN-95-31-2639. This photo shows an installed ACR data logger on DODIC D864.



U.S. ARMY DEFESE AMMUNITION CENTER

PHOTO NO. AO317-SCN-95-31-2632. This photo shows an ACR data logger installed on top of a pallet of DODIC A974. The pallet is stored in an above-ground magazine.

GRAPHS





External Probe


Igloo B-184


- Ambient


Igloo B-184, 2nd AD South Korea















AG Mag B-182


- Ambient











- Ambient

Monthly Peak Temperatures
Above Ground Magazine B-303, 2nd AD South Korea


120 6 80 Month

Feb '96 Jun '96 Mar '96 May '96 .

9

Temperature (F)

5







■ AG Mag B-133


Number of Occurences

Above Ground Magazine B-133, February 1996


Humidity Distribution








40-50 50-60 60-70 70-80 80-90 Humidity Range (%)



40-50 50-60 60-70 70-80 80-90 Humidity Range (%)




Above Ground Magazine B-315, February 1996


Humidity Distribution


■ AG Mag B-315


Number of Occurences


40-50 50-60 60-70 70-80 80-90 Humidity Range (%)


















Above Ground Magazine B-133, March 1996


Humidity Distribution


■ AG MAG B-133


Number of Occurences


Humidity Range (%)












Above Ground Magazine B-315, March 1996


Humidity Distribution

■ AG Mag B-315

Thousands ~

Number of Occurences





■ AG Mag B-437

40-50 50-60 60-70 70-80 80-90 Humidity Range (%)


200

Number of Occurences

1500 1000

Above Ground Magazine B-437, March 1996

Humidity Distribution



Above Ground Magazine B-303, March 1996

Humidity Distribution


40-50 50-60 60-70 70-80 80-90 Humidity Range (%)


■ AG Mag B-303


sbnssuodT ∽ ←

က

40-50 50-60 60-70 70-80 80-90 Humidity Range (%)







Above Ground Magazine B-133, April 1996


Humidity Distribution


■ AG Mag B-133

Number of Occurences

0 50-60 60-70 70-80 Humidity Range (%)

40-50





■ AG Mag B-177

1000


Number of Occurences


70-80

40-50 50-60 60-70 7 Humidity Range (%)

Above Ground Magazine B-177, April 1996

Humidity Distribution





Above Ground Magazine B-315, April 1996


Humidity Distribution


■ AG Mag B-315


Number of Occurences

70-80

40-50 50-60 60-70 7 Humidity Range (%)







■ AG Mag B-437

Number of Occurences


70-80


40-50 50-60 60-70 70 Humidity Range (%)


Above Ground Magazine B-437, April 1996

Humidity Distribution









Above Ground Magazine B-133, May 1996

Humidity Distribution

Ambient

™ B-133

400


Number of Occurences


800


1000


9


20-30 40-50 60-70 80-90 11 30-40 50-60 70-80 90-100 Humidity Range (%)











1400 1200 1000 800 600 600 200 0

Number of Occurences

Above Ground Magazine B-315, May 1996

Humidity Distribution


■ Ambient


B-315

40-50 60-70 80-90 100 100 50-60 70-80 90-100

30-40 20-30

Humidity Range (%)






■ Ambient □ B-555

900 400

Number of Occurences


40-50 60-70 80-90 100 10 50-60 70-80 90-100 Humidity Range (%)

20-30



Humidity Distribution

Igloo B-555, May 1996



Above Ground Magazine B-133, June 1996

Humidity Distribution


■ Ambient ■ B-133


0 50-60 70-80 90-100 40-50 60-70 80-90 100 Humidity Range (%)


30-40


400


1000 800 900 Number of Occurences











Above Ground Magazine B-315, June 1996

800 900

Humidity Distribution

■ Ambient

B-315

100

0 60-70 80-90 Humidity Range (%)

50-60 60-70


40-50 30-40


200

400

Number of Occurences

90-100






Ambient

B-555

9

30-40 50-60 70-80 90-100 40-50 60-70 80-90 1 Humidity Range (%)




Humidity Distribution

Igloo B-555, June

1000

800 600 400 200

Number of Occurences



■ Ambient B-133

100

60-70 80-90 50-60 70-80 90-100 Humidity Range (%)

40-50

Above Ground Magazine B-133, July 1996


1000


1200


800 600 400 200

Number of Occurences

Humidity Distribution







■ Ambient ■ B-177


9

60-70 80-90 50-60 70-80 90-100 Humidity Range (%)

Above Ground Magazine B-177, July 1996

800 600 200

Number of Occurences



Above Ground Magazine B-315, July 1996

Humidity Distribution

■ Ambient

■ B-315

5

80-90

Humidity Range (%)

70-80


60-70 50-60


40-50

200

Number of Occurences

800 9 400





■ Ambient B-555

Number of Occurences


100

60-70 80-90 50-60 70-80 90-100 Humidity Range (%)

40-50

Humidity Distribution

Igloo B-555, July 1996



Above Ground Magazine B-303, July 1996

Humidity Distribution


Ambient B-303


100

80-90

60-70 6 50-60 70-80

... /0-80 90-100 Humidity Range (%)





Above Ground Magazine B-133, August 1996

Humidity Distribution

- Ambient **■ B-133**

5

60-70 80-90 50-60 70-80 90-100 Humidity Range (%)


40-50


400 200


Number of Occurences

800 900

1000







■ Ambient □ B-177

600

Number of Occurences

200


800

100

60-70 80-90 50-60 70-80 90-100 Humidity Range (%)

40-50

Above Ground Magazine B-177, August 1996



Above Ground Magazine B-315, August 1996

1000

900 400 200

Number of Occurences

800


Humidity Distribution


Ambient B-315

9

80-90


60-70 80-90 50-60 70-80 90 Humidity Range (%)





Humidity Distribution

Igloo B-555, August 1996



Ambient B-555

800


1000

400

Number of Occurences

5

60-70 80-90 50-60 70-80 90-100 Humidity Range (%)




■ B-133

Above Ground Magazine B-133, September 1996

800 9 6 200

Number of Occurences

Humidity Distribution



800

900 400 Number of Occurences

200

Above Ground Magazine B-163, September 1996


Humidity Distribution

80-90

50-60 60-70 70-80 Humidity Range (%)

40-50

■ B-163



Above Ground Magazine B-177, September 1996

800 900 400 200

Number of Occurences

Humidity Distribution




■ B-177

80-90

50-60 60-70 70-80 Humidity Range (%)

40-50



Above Ground Magazine B-315, September 1996

1000 800 600 400 200

Number of Occurences


Humidity Distribution


■ B-315


80-90


50-60 60-70 70-80 Humidity Range (%)


40-50











Above Ground Magazine B-133, October 1996

Humidity Distribution

■ B-133

80-90

50-60 60-70 70-80 Humidity Range (%)


40-50


200


600

Number of Occurences

800










Number of Occurences



Above Ground Magazine B-315, October 1996

Humidity Distribution

■B-315

80-90


50-60 60-70 70-80 Humidity Range (%)


40-50


800 600 200 200


Number of Occurences


1400 1200 1000











Above Ground Magazine B-133, November 1996

800

600 400 400

Number of Occurences

1000


200


Humidity Distribution


■ Ambient

B-133

20-30 40-50 60-70 80-90 11 30-40 50-60 70-80 90-100 Humidity Range (%)








■ Ambient □ B-177

Number of Occurences

20-30 40-50 60-70 80-90 100 30-40 50-60 70-80 90-100 Humidity Range (%)

Above Ground Magazine B-177, November 1996



Above Ground Magazine B-335, November 1996

Humidity Distribution


■ Ambient □ B-335


Number of Occurences


40-50 60-70 80-90 10) 50-60 70-80 90-100 Humidity Range (%)


40-50

20-30 30-40









1500 1000

2000

■ Ambient B-133

5

8

30


20


500

Number of Occurences

Above Ground Magazine B-133, December 1996


Humidity Distribution





Above Ground Magazine B-177, December 1996

Humidity Distribution



■ Ambient

B-177


Number of Occurences


9

8

30

20





■ Ambient □ B-555

sbnssuodT 2 4 -

Number of Occurences

100


90


9


20

Humidity Distribution

Igloo B-555, December 1996







■ Ambient B-133

90 100

30

2


Above Ground Magazine B-133, January 1997


1000


600 400 200

Number of Occurences

Humidity Distribution







■ Ambient □ B-177

100

8

ဓ္က


20

600 400 200

Number of Occurences

800

Above Ground Magazine B-177, January 1997



Above Ground Magazine B-335, January 1997

Humidity Distribution

■ Ambient


SbnssuodT 6 4 +


Number of Occurences


■ B-335


Humidity Distribution

20-30 40-50 60-70 80-90 100 30-40 50-60 70-80 90-100 Humidity Range (%)









Above Ground Magazine B-133, February 1997

Humidity Distribution

■ Ambient ■ B-133


800


1000 1200


600 400 200

Number of Occurences

20-30 40-50 60-70 80-90 10 30-40 50-60 70-80 90-100 Humidity Range (%)








Ambient B-177

1200 1000 800 600 200 200

Number of Occurences

20-30 40-50 60-70 80-90 11 30-40 50-60 70-80 90-100 Humidity Range (%)

Above Ground Magazine B-177, February 1997



Above Ground Magazine B-335, February 1997

Humidity Distribution

- Ambient


Thousands


Number of Occurences


B-335


40-50 60-70 80-90 100 0 50-60 70-80 90-100 Humidity Range (%)

20-30









Above Ground Magazine B-133, March 1997


Humidity Distribution

Ambient B-133

800 900 400 200

Number of Occurences


1000




Above Ground Magazine B-163, March 1997

Humidity Distribution

10-20 30-40 50-60 70-80 90-100 20-30 40-50 60-70 80-90 100 Humidity Range (%)






■ Ambient B-177

Number of Occurences

10-20 30-40 50-60 70-80 90-100 20-30 40-50 60-70 80-90 100 Humidity Range (%)

Above Ground Magazine B-177, March 1997



Above Ground Magazine B-335, March 1997

Humidity Distribution


■ Ambient


B-335


10-20 30-40 50-60 70-80 90-100 20-30 40-50 60-70 80-90 100 Humidity Range (%)


sbnssuodT 2 4

Number of Occurences









Above Ground Magazine B-133, April 1997

Humidity Distribution

■ Ambient

800


1000


600 400 200


Number of Occurences

■ B-133

10-20 30-40 50-60 70-80 90-100 20-30 40-50 60-70 80-90 100 Humidity Range (%)








Ambient B-177

Number of Occurences

10-20 30-40 50-60 70-80 90-100 20-30 40-50 60-70 80-90 100 Humidity Range (%)

Above Ground Magazine B-177, April 1997




Number of Occurences


Above Ground Magazine B-335, April 1997


Humidity Distribution


■ Ambient B-335

10-20 30-40 50-60 70-80 90-100 20-30 40-50 60-70 80-90 100 Humidity Range (%)









Above Ground Magazine B-133, May 1997

Humidity Distribution

- Ambient


900


200

Number of Occurences

B-133

10-20 30-40 50-60 70-80 90-100 20-30 40-50 60-70 80-90 100 Humidity Range (%)






■ Ambient 図 B-177

Number of Occurences

10-20 30-40 50-60 70-80 90-100 20-30 40-50 60-70 80-90 100 Humidity Range (%)

Above Ground Magazine B-177, May 1997



Above Ground Magazine B-335, May 1997

1500

1000

200

Number of Occurences


0


Humidity Distribution


■ Ambient

■ B-335


10-20 30-40 50-60 70-80 90-100 20-30 40-50 60-70 80-90 100 Humidity Range (%)









1995 Ammunition Storage Monitoring 2nd ID, South Korea Quonset Hut, DODIC: N402




1995 Ammunition Storage Monitoring 2nd ID, South Korea Quonset Hut, DODIC: N402




1996 Ammunition Storage Monitoring 2nd ID, South Korea Quonset Hut, DODIC: N402




1995 Ammunition Storage Monitoring 2nd ID, South Korea Igloo, DODIC D684




1995 Ammunition Storage Monitoring 2nd ID, South Korea Igloo, DODIC D684




1996 Ammunition Storage Monitoring 2nd ID, South Korea Igloo, DODIC D684




1996 Ammunition Storage Monitoring 2nd ID, South Korea Igloo, DODIC D684




1996 Ammunition Storage Monitoring 2nd ID, South Korea Igloo, DODIC D684




1996 Ammunition Storage Monitoring 2nd ID, South Korea Igloo, DODIC D684




1996 Ammunition Storage Monitoring 2nd ID, South Korea Igloo, DODIC D684




Above Ground Magazine, DODIC:N464 1995 Ammunition Storage Monitoring 2nd ID, South Korea




Above Ground Magazine, DODIC:N464 1995 Ammunition Storage Monitoring 2nd ID, South Korea




Above Ground Magazine, DODIC:N464
Temperature (Fahrenheit) 1996 Ammunition Storage Monitoring 2nd ID, South Korea




1996 Ammunition Storage Monitoring 2nd ID, South Korea







Above Ground Magazine, DODIC:N464 Temperature (Fahrenheit) 1996 Ammunition Storage Monitoring 2nd ID, South Korea




Above Ground Magazine, DODIC:N464 1996 Ammunition Storage Monitoring 2nd ID, South Korea




Above Ground Magazine, DODIC:N464 1996 Ammunition Storage Monitoring 2nd ID, South Korea




Above Ground Magazine, DODIC: A974 1995 Ammunition Storage Monitoring 2nd ID, South Korea




Above Ground Magazine, DODIC: A974 1995 Ammunition Storage Monitoring 2nd ID, South Korea




1996 Ammunition Storage Monitoring 2nd ID, South Korea




1996 Ammunition Storage Monitoring 2nd ID, South Korea




1996 Ammunition Storage Monitoring 2nd ID, South Korea




1996 Ammunition Storage Monitoring 2nd ID, South Korea




1996 Ammunition Storage Monitoring 2nd ID, South Korea




Above Ground Magazine, DODIC D684 1995 Ammunition Storage Monitoring 2nd ID, South Korea




Above Ground Magazine, DODIC D684 1995 Ammunition Storage Monitoring 2nd ID, South Korea



Above Ground Magazine, DODIC D684 1996 Ammunition Storage Monitoring 2nd ID, South Korea





■ Ambient

40-50 60-70 80-90 100 0 50-60 70-80 90-100 Humidity Range

20-30 30-40

0

500


Number of Occurences


Above Ground Magazine, 2nd ID


Humidity Distribution, November 1995


1500

1000










Number of Occurences

■ Ambient
□ N464

20-30 40-50 60-70 80-90 10 30-40 50-60 70-80 90-100 Humidity Range

Above Ground Magazine, 2nd ID

Humidity Distribution, December 1995




Ambient D684


sbnssuodT 4 + Number of Occurences


20-30 40-50 60-70 80-90 100 30-40 50-60 70-80 90-100 Humidity Range

Above Ground Magazine, 2nd ID

Humidity Distribution, December 1995







Above Ground Magazine, 2nd ID

Humidity Distribution, January 1996

1500

1000

500


Number of Occurences

Ambient

N464

40-50 60-70 80-90 100 0 50-60 70-80 90-100 Humidity Range

20-30



Ambient D684

40-50 60-70 80-90 100 0 50-60 70-80 90-100 Humidity Range

20-30 30-40


400


009 Number of Occurences

Above Ground Magazine, 2nd ID

Humidity Distribution, January 1996

1000






Number of Occurences

Above Ground Magazine, 2nd ID

Humidity Distribution, February 1996

Ambient N464

20-30 40-50 60-70 80-90 100 30-40 50-60 70-80 90-100 Humidity Range




Ambient D684

Number of Occurences
Thousands ω ω

20-30 40-50 60-70 80-90 100 30-40 50-60 70-80 90-100 Humidity Range

Humidity Distribution, February 1996


Igloo, 2nd ID





Above Ground Magazine, 2nd ID


Humidity Distribution, March 1996


■ N464

















2nd ID

Above Ground Magazine, Humidity Distribution, May 1996

1500


1000


500 Number of Occurences

■ N464

40-50 50-60 60-70 70-80 80-90 Humidity Range

30-40





PART 7

<u>APPENDIX</u>

AD #2				Temperature Distribution for Jul '96
Tempera	ature Distril			Ambient
	Ambient A	AG Mag	lgloo	50-60 4.2339 0 0
10-20	22.099	2.0873	0.1308	60-70 32.93 30.26 47.043
20-30	51.667	38.738	15.701	70-80 31.989 32.576 47.513
30-40	18.785	47.594	82.468	80-90 21.909 31.219 5.4435
40-50	7.7348	10.864	1.7	90-100 8.9382 5.0037 0
50-60	0	0.6916	0	100-110 0 0.9409 0
60-70	0	0.0251	0	
•••				Temperature Distribution for Aug '96
Tempera	ature Distril	bution Ma	r '96	Ambient
	Ambient			60-70 23.79 4.5213 2.1057
20-30	No Data	3.1782	0.0941	70-80 45.228 44.089 89.718
30-40		37.046	50.427	80-90 21.169 44.755 8.1765
40-50		55.063	49.479	90-100 9.8118 5.6333 0
50-60		4.6149	0	100-110 0 1.002 0
60-70		0.0982	0	100 110
00-70		0.0002	O	Temperature Distribution for Sep '96
Temper	ature Distril	hution An	r '06	Ambient
remper	Ambient		90	50-60 10.643 1.3944 0.0463
20.40	No Data	8.5489	1.5184	60-70 57.428 48.994 65.14
30-40	NO Data			70-80 24.612 44.672 34.814
40-50		41.582	72.473	
50-60		32.293	24.15	
60-70		15.34	1.8583	90-100 0 0.3092 0
70-80		2.0746	0	Tamperature Distribution for Oat '06
80-90		0.1613	0	Temperature Distribution for Oct '96
Temper	ature Distril	bution for	May '96	40-50 No Data 0.0855 0
Temper	Ambient		may oo	50-60 9.6957 3.7436
30-40	0.0658	0	0	60-70 44.813 46.918
40-50	6.9124	0.2401	0	70-80 40.634 49.339
50-60	36.076	30.466	61.958	80-90 4.5332 0.0672
60-70	33.706	54.114	38.042	90-100 0.2383 0
70-80	18.631	13.847	0	0.2000
80-90	4.6083	1.2784	0	Temperature Distribution for Nov '96
	4.0003	0.054	0	Ambient
90-100	U	0.054	U	30-40 12.246 1.0946 0.0887
Taman a r	atura Diatril	bution for	lun 106	40-50 40.143 28.007 8.2956
remper	ature Distril	bulloff for	Juli 90	50-60 35.544 47.543 68.778
40.50	Ambient	0	0	60-70 12.067 22.391 22.837
40-50	0.1398	0 1525	0 0	70-80 0 0.9653 0
50-60	4.8917	0.1525		70-00 0 0.9055 0
60-70	58.001	50.416	91.568	Temperature Distribution for Dec '96
70-80	27.324	43.796	8.4323	•
80-90	0.0044			Ambient
111171111	9.3641	4.9298	0	20 20 4 7042 0 2245 0
90-100	9.3641 0.2795	4.9298 0.7052	Ö	20-30 4.7043 0.2315 0
90-100				30-40 37.097 35.951 8.8239
90-100				30-40 37.097 35.951 8.8239 40-50 32.527 54.193 77.144
90-100				30-40 37.097 35.951 8.8239

AD #2							
Tempera	ature Distril	bution for	Jan '97				
	Ambient						
10-20	0.504	0	0				
20-30	8.703	2.3297	0.2957				
30-40	49.16	65.177	20.356				
40-50	33.938	30.388	78.945				
50-60	7.1909	2.1057	0.4032				
60-70	0.504	0	0				
Temperature Distribution for Feb '97							

	Ambient		
20-30	5.3943	0.0413	0
30-40	32.664	38.323	12.269
40-50	33.185	43.953	83.854
50-60	21.466	16.08	3.8765
60-70	5.9152	1.5708	0
70-80	1.3765	0.0331	0

Temperature Distribution for Mar '97 Ambient

	Ambier	nt	
20-30	0 0.201	7 0	0
30-40	0 6.184	9 0.4258	0
40-50	0 29.37	8 22.476	16.289
50-60	0 37.07	6 64.93	83.711
60-70	0 21.91	6 11.145	0
70-80	0 5.243	7 1.0233	0

Temperature Distribution for Apr '97 Ambient

	Ambient		
40-50	5.9354	1.2921	0.1389
50-60	36.723	35.619	51.746
60-70	27.768	42.5	47.115
70-80	22.631	17.673	0.9998
80-90	6.5602	2.8426	0
90-100	0.3818	0.0733	0

Temperature Distribution for May '97

	Ambient		
50-60	6.4539	0.2232	0
60-70	24.774	21.283	63.659
70-80	39.348	55.336	34.037
80-90	23.872	20.271	1.3604
90-100	5.5517	2.4706	0.5275
100-110	0	0.4167	0.4164

Ext. Pro 0 0 8 206 9 2241		Ext. Pro	161 136	00	Ext. Pro	7	64	00	Ext. Pro	0	₩.	4 5	00	Ext. Pro	00	143		<u>ة</u> د	į		00	
B-555 28 215		B-555	171 126		B-555	7	64		B-555		1088	54		B-555		1431		, 7, 7, 7,		730		
Ext. Pro 0 156 2291		Ext. Pro	1471 1506	00	Ext. Pro	14 2166	586 0	00														
B-184 0 46 2303	86	B-184	969 2008	00	B-184	0 1894	872 0	00	4					•								
Ext. Pro 16 1225 1096	000	Ext. Pro	1740	00		184 1727	598 257	00	Ext Probe	0	641) O Q2	00	Ext Probe	00	1069	00	o dord	0 9	929 676	243 0	0
B-239 E 32 1243 1064	108	B-239 I	1710	00		214 1651	630 271	00	B-239	0	626	8/2 4	00	B-239	00	1043	00		0 4	677	236 0	0
Ext. Pro E 72 1250 967	158	Ext. Pro E	1561 1346	00		292 1372	732 370	00	-	•				-				_				
B-437 E 90 1196 1005	156	B-437 E	1347	စ္က ဝ		296 1266	814 372	80														
	282 12 0	B-303 E	895 1868	128 0		216 1102	992 412	40	B-303	0	405	880 231	00	B-303	00	656	33	U B-303	0 4	446	37 37	0
B-335 E 82 1085 1152	128	B-335 E	1198 1551	0 82	B-335	268 1251	862 377	80	B-335	0	453	879 181	00	B-335	0 8	685	27		0 9	455	535 15	0
B-315 20 826 1347	254 0 0	B-315 32	955 1886	5 0	B-315	182 1188	976 392	0 88	B-315	0,	421	829 179	76 8	B-315	0 11	560	241	9.31F	0 0 0 0 0 0	392	396 240	96
B-313 B- 52 640 1255	478 22 0	B-313 B- 76	1924	0		190 95 4	1108 438	0 0	B-313 B-	0 1	479	823 207	00	B-313 B-	0 9	739	88 9		0 0	476	499 24	0
82 20 758 1319	320	82 70	910 1821	9/1	82	192 1085	1056 405	0 28	82	0	609	836 210	00	182	00	669	78	5	0 5	201 201	23 23	0
B-177 B-1 92 970 1121	216 48 0	B-177 B-1 182	1664	132 0	B-177 B-1	326 1058	895 388	102	B-177 B-1	0	203	706 288	80	B-177 B	0 9	760	200	0 R-177 B-	0 5	433	454 11	0
B-163 B 10 1005 1244	188	B-163 B	1370	0		180 1207	908 449	0 25	B-163 E	0	392	174	00	B-163 E	00	691	. 25		0 0	494	558 18	0
B-135 B 50 925 1106	330	B-135 E	940 1670	0		230 926	835 600	156	or May '96 B-135 E	0	488	811 214	00	or Jun '96 B-135 E	00	750	38,5		0 9	492	504 36	0
B-133 B 68 851 964	86 86	B-133 B 211	1522	434 38	B-133 E	310 822	810 610	178	bution for B-133 E		449	328	129	bution for B-133 E		650	255	22 bution for			335 251	28
ω 4 ~	332 22 0	***	1868	164 0		178 1070	1000 432	88	ture Distri R-105	0	451	728 800 728 800	00	ture Distri B-105	00	733	4 0	U ture Distri	0 5	430	531 64	0
AD #2 Temperature Distribution Feb '96 Ambient B-105 10-20 20-30 34 133	400	Temperature Distribution Mar '96 Ambient B-105 20-30 Nn Data 4			Temperature Distribution Apr '96 Ambient B-105	No Data			Temperature Distribution for May '96 Ambient R-105 R-133 R-135	-	103 548	512 283	0 0	Temperature Distribution for Jun '96 Ambient B-105 B-133 B-135	2 2	830	134	Temperature Distribution for Jul '96	63	490	326 133	0
AD #2 Temperatur 10-20 20-30	40-50 50-60 60-70	Temperatur	30-40 40-50	50-60 60-70	Temperatui	30-40 40-50	50-60	70-80 80-90		30-40	40-50 50-60	60-70 70-80	80-90 90-100		40-50 50-60	60-70	80-90	90-100	20-60	07-09 20-02	80-90 90-100	100-110

B-239 Ext Probe B-555 Ext. Pro 167 93 1457 1473 1038 1075 1457 1473 283 320 30 15 0 0 0 0	B-239 Ext Probe B-555 Ext. Pro 15 2 0 1157 1111 920 785 269 328 521 656 0 0 0	B-239 Ext Probe B-555 Ext. Pro 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	B-239 Ext Probe B-555 Ext. Pro 21 9 0 0 0 828 810 0 17 15 1104 1093 1368 1582 1420 1518 317 358 306 92 829 733 0 0 0 0 0	B-239 Ext. Pro B-184 Ext. Pro B-555 Ext. Pro 0 0 0 0 1383 1313 0 0 0 1593 1663 1702 2794 2538 2782 0 0 1274 182 438 194 0 0 0 0 0 0	B-239 Ext. Pro B-184 Ext. Pro B-555 Ext. Pro 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
33 54 631 758 45 0	13 14 635 789 3 0	13 0 0 649 688 23 0	3 45 0 45 0 800 170 816 418 13	B-437 0 1303 1641 32 0	B-437 0 108 2277 591 0
B-335 B-303 104 E 608 65 738 75 35 4	B-335 B-303 24 701 63 690 77 4	B-335 B-303 0 164 12 669 64 612 66 43 2	B-335 B-303 35 732 1100 17 395 41	5 B-335 18 1135 1453 346 24	5 B-335 0 0 40 90 140 1782 503 1010 4 94
B-313 B-315 108 58 660 514 680 549 40 261 0 106	B-313 B-315 38 8 703 513 687 576 13 307 0 37	B-313 B-315 0 0 165 117 610 500 673 586 40 260 0 25	B-313 B-315 0 23 0 526 193 1186 386 474 17 61	B-315 B-215 8 861 1679 428	B-315 B-215 0 14 4 738 114 503 50
B-163 B-177 B-182 15 4 4 637 626 626 808 808 808 28 50 50 0 0 0	63 B-177 B-182 0 54 0 688 799 574 753 585 844 0 3 23	63 B-177 B-182 0 7 0 91 206 80 774 716 617 610 542 750 13 17 41	63 B-177 B-182 12 57 0 628 855 0 1179 1001 126 455 363 458 1 1	63 B-177 0 30 872 1385 1958 1459 146 102 0 0	63 B-177 0 0 34 128 1898 2049 1036 793 6 6
ibution for Aug '96 B-133 B-135 88 97 573 672 487 669 284 50 56 0	Temperature Distribution for Sep '96 Ambient B-105 B-133 B-135 B-163 48 2 53 13 259 629 604 762 68 111 756 468 663 75 33 54 308 3 0 0 8 0	Temperature Distribution for Oct '96	B-133 B-135 B-1 30 10 649 604 906 1195 604 466	ibution for Dec '96 B-133 B-135 B-1 6 0 1080 916 1210 1716 656 344	F-
AD #2 Temperature Distr Ambient B-105 354 41 673 631 315 737 146 79	Temperature Distri Ambient B-105 48 2 259 629 111 756 33 54	Temperature Distri B-105 0 108 612 714 54	Temperature Distri Ambient B-105 205 4 672 442 595 1318 202 499	Temperature Distr Ambient B-105 140 0 1104 694 968 1806 579 476	Temperature Distribution for Jan '97 Ambient B-105 B-133 B-135 15 0 0 0 259 26 70 38 1463 1560 1610 1784 1010 1342 968 1112 214 48 328 42
60-70 70-80 80-90 90-100	50-60 60-70 70-80 80-90 90-100	40-50 50-60 60-70 70-80 80-90	30-40 40-50 50-60 60-70 70-80	20-30 30-40 40-50 50-60 60-70	10-20 20-30 30-40 40-50 50-60 60-70

B-239 Ext. Pro B-184 Ext. Pro B-555 Ext. Pro 0 0 0 0 0 1551 1649 0 0 0 948 870 2458 2670 2629 2643 189 169 230 18 59 45 0 0 0 0 0 0	B-239 Ext. Pro B-184 Ext. Pro B-555 Ext. Pro 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	B-239 Ext. Pro B-184 Ext. Pro B-555 Ext. Pro 20 20 0 0 0 1434 1570 1123 1854 1304 1602 1289 1159 1758 1027 1563 1279 136 130 0 0 14 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	B-239 Ext. Pro B-184 Ext. Pro B-555 Ext. Pro 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
B-437 0 1207 1218 263 0	B-437 0 6 788 2041 140	B-437 24 1140 1407 310 0	B-437 0 313 1000 242 4
B-315 B-215 B-335 0 0 950 932 1507 1026 231 636 0 94	B-315 B-215 B-335 0 0 0 6 590 548 2325 1673 60 672 0 76	B-315 B-215 B-335 8 20 1080 737 1527 1182 266 752 0 190 0 0	B-315 B-215 B-335 0 0 239 212 1036 644 274 496 8 90
AD #2 Temperature Distribution for Feb '97 Ambient B-105 B-133 B-135 B-163 B-177 Ambient B-105 B-133 B-135 B-163 B-177 144 04 0 0 6 878 744 940 900 866 1181 892 1400 768 1227 1411 1128 577 502 808 507 403 351 159 42 160 54 8 22 37 0 8 0 0	Temperature Distribution for Mar '97 Ambient B-105 B-133 B-163 B-177 6 0 0 0 0 184 0 48 0 0 54 874 554 660 570 538 816 1103 1951 1389 1845 2267 1873 652 470 690 550 170 232 156 0 188 10 0 0	Temperature Distribution for Apr '97 Ambient B-105 B-133 B-135 B-163 B-177 171 28 18 14 32 1058 1058 797 911 922 1156 800 800 1054 1162 1375 1223 652 652 724 732 562 448 189 189 270 58 8 22 11 1 8 0 0	Temperature Distribution for May '97 Amblent B-105 B-133 B-135 B-163 B-177 93 0 12 0 0 18 357 294 268 304 279 371 567 842 612 734 978 800 344 296 402 350 274 344 80 10 136 42 16 14 0 0 12 10 10 12
20-30 30-40 40-50 50-60 60-70	20-30 30-40 40-50 50-60 60-70 70-80	40-50 50-60 60-70 70-80 80-90 90-100	50-60 60-70 70-80 80-90 90-100